

BIG ORANGE

ORANGE OIL TAR & ASPHALT REMOVER



DESCRIPTION

BIG ORANGE contains a natural orange oil solvent to quickly cut through tar, asphalt, paint overspray. No chlorinated solvents, CFC's or other ozone depleting chemicals. No harmful or unpleasant fumes.

APPLICATIONS

Use to remove tar, asphalt and paint overspray. Areas of use include homes, schools, detail services, offices, factories, convenience stores, hotels and motels.

FEATURES & BENEFITS

- Cuts through tar and asphalt
- Non-chlorinated formula contains no ozone depleting chemicals
- Pleasant orange fragrance

SPECIFICATIONS

FORM: Solvent Based Aerosol
ODOR: Citrus
COLOR: Clear
DETERGENCY: Excellent
TOXICITY: 1000 ppm OSHA TLV
WETTING ABILITY: Excellent
STORAGE STABILITY: 1 Year
COLD STABILITY: 32°F
PHOSPHATES: None
VOC Content: 14.64%

FLASH POINT: N/A
FLAME EXTENSION: <18"
SOLUBILITY IN WATER: 100%
SPECIFIC GRAVITY: 0.85
% VOLATILE BY VOLUME: 100%
pH: N/A
PROPELLANT: Hydrocarbon
EVAPORATION RATE: Slow
BIODEGRADABILITY: Yes

LABEL INFORMATION

BIG ORANGE ORANGE OIL TAR & ASPHALT REMOVER


BIG ORANGE contains a natural orange oil solvent to quickly cut through tar, asphalt, paint overspray. The biodegradable formula leaves a fresh orange fragrance.

DIRECTIONS FOR USE: Shake well prior to use. Hold can 8-10 inches from surface, and spray to thoroughly wet area to be cleaned. Allow to penetrate a few minutes before rinsing. For heavy soil, a wire brush may be used to loosen accumulation.

DANGER: Extremely Flammable Aerosol. Contains gas under pressure; may explode if heated. Causes skin irritation and serious eye damage. May cause an allergic skin reaction. May be fatal if swallowed and enters airways. Keep away from heat, sparks, open flames, and hot surfaces. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Protect from sunlight. Store in a well-ventilated place. Do not expose to temperatures exceeding 50°C/122°F. Wear eye protection/face protection. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Wash hands thoroughly after handling. Wear protective gloves. If on skin: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. Avoid breathing dust/fume/gas/mist/vapors/spray. Contaminated work clothing must not be allowed out of the workplace. If swallowed: Immediately call a poison center or doctor. Do NOT induce vomiting. Dispose of contents and container in accordance with local, state and federal law.

CONTAINS (CAS#): Hydrotreated light alkanes (64742-47-8), d-Limonene (5989-27-5), Propane (74-98-6), Nonoxynol (127087-87-0), Isobutane (75-28-5).

HEALTH	1
FLAMMABILITY	3
REACTIVITY	1
PERSONAL	B



PACKAGING INFORMATION

12 – 16 oz. cans per case, 12 oz. net weight