contamination on treated hard, nonporous, the human body, either into or in contact with environmental surfaces, but also kills many the bloodstream or normally sterile areas of the microorganisms that cause odors. This product body, or (2) contacts intact mucous membranes is for disinfecting hard, nonporous surfaces, but which does not ordinarily penetrate the For use in schools, colleges, universities and blood barrier or otherwise enter normally sterile office buildings, health care facilities, medical areas of the body. This product may be used and dental offices, nursing homes, and airports. to preclean or decontaminate critical or semi-

KITCHEN: Kitchen floors collect both traffic high level disinfection. dirt and kitchen germs. Use anvwhere greasv dirt is a problem.

basins, tubs, and glazed tiles. Leaves everything with a mop, sponge, cloth, or sprayer on hard, bright and clean, kills odor causing bacteria, nonporous surfaces to thoroughly wet surfaces. Odors disappear instantly. Use where odors For sprayer applications use a coarse spray are a problem.

tant, Bactericidal according to the current AOAC minutes. Wipe dry with a clean cloth, or sponge use-Dilution Test Method. Fungicidal according to or allow to air dry. Rinsing is not necessary on the AOAC Fungicidal Test and Virucidal* accord- floor surfaces that are to be waxed or polished. ing to the virucidal qualification modified in the For mold and mildew control, repeat applicapresence of 5% organic serum against; Bacteria: tion weekly or when growth reappears. Rinse Pseudomonas aeruginosa. Staphylococcus all surfaces that come in contact with food aureus. Salmonella enterica. Streptococcus such as countertops, appliances, tables and pyogenes: Viruses: *Herpes Simplex Virus Type stovetops with potable water before reuse. This 2, *HIV-1, *Influenza Type A/Brazil Virus; Fungi: product should not be used to clean utensils, Aspergillus niger Trichophyton mentagrophytes. glassware and dishes.

This product is effective against the pathogenic TO CLEAN AND DISINFECT TOILET BOWLS fungi Trichophyton mentagrophytes (Athlete's AND URINALS: Remove gross filth from bowl. Foot Fungus) when used as directed for Remove or expel over the inner trap residual disinfection with a contact time of 10 minutes bowl water. Use 4 ounces of product in toilet on hard nonporous surfaces in bathrooms bowl or urinal. Apply directly around bowl and including shower stalls, floors, bath mats, and under rim; then brush or swab thoroughly. Allow glazed bathroom tiles and locker room benches. product to remain on surface for a contact time Effectively inhibits the growth of mold and of 10 minutes, then flush toilet. This product, mildew, plus the odors caused by them.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.


sterilant/high level disinfectant on any surface or allow to air dry.

Not only helps control the hazards of cross- or instrument that (1) is introduced directly into critical medical devices prior to sterilization or

DISINFECTION/*VIRUCIDAL/FUNGICIDAL/ MOLD & MILDEW DIRECTIONS: If surfaces BATHROOM: Great for cleaning and deodorizing are visibly dirty preclean first. Apply this product device. Spray 6-8 inches from surface. Avoid breathing spray. Rub with a brush, sponge or This product is a one-step Hospital use disinfec- cloth. Treated surfaces must remain wet for 10

when used as directed, will not harm white or colored bowls or inanimate, hard surfaces, Close cap on container after use.

TO CLEAN AND/OR DEODORIZE: Apply by mop. sponge, cloth or spray on hard, nonporous This product is not to be used as a terminal surfaces. Wipe dry with a clean cloth or sponge.



SANITIZING NON-FOOD CONTACT SUR- PRECAUTIONARY STATEMENTS

surfaces: walls, floors, tables, garbage cans ANIMALS and telephones. The product is effective against **CAUTION.** Harmful if absorbed through the skin. by mop, sponge, cloth, or spray to thoroughly wet surfaces for a minimum contact time of 5 FIRST AID minutes. Wipe dry with a clean cloth or sponge. IF ON SKIN OR CLOTHING: Take off contaminated food handling, and food storage areas. Do not use to sanitize glassware, dishes or utensils.

*KILLS HIV-1 (AIDS VIRUS) ON PRECLEANED. Control Center or doctor or going for treatment. ENVIRONMENTAL SURFACES/OBJECTS PRE-VIOUSLY SOILED WITH BLOOD/BODY FLUIDS in healthcare settings or other settings in which there is an expected likelihood of soiling of

inanimate surfaces/objects with blood or body is prohibited. Store in original container in areas fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be Pesticide wastes are acutely hazardous. Improper associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 (AIDS VIRUS) OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

Personal Protection: Clean-up must always be done wearing protective gloves, gowns, masks and eve protection.

Cleaning Procedures: Blood and body fluids must be thoroughly cleaned from surfaces and objects before application of disinfectant,

Virus) on hard, nonporous surfaces in the presence of a moderate amount of organic soil (5% blood serum) (providing 1800 ppm of active quaternary) for a contact time of 5 minutes at room temperature (20-25°C). Use a ten (10) minute contact time for disinfection against all other bacteria, fungi, and viruses claimed. Disposal of Infectious Materials: Blood and other body fluids must be autoclaved and Made in USA disposed of according to federal, state, and local regulations for infectious waste disposal.

FACES: Use on washable, hard, nonporous HAZARDS TO HUMANS AND DOMESTIC

Staphylococcus aureus and Enterobacter Avoid contact with skin, eves or clothing, Wash aerogenes in the presence of 5% serum. Apply thoroughly with soap and water after handling.

or allow to air dry. Do not use in food preparation. clothing, Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a Poison

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Pesticide Storage: Open dumping inaccessible to children. Pesticide Disposal: disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. Container Disposal: Nonrefillable container. Do not reuse or refill this container. Triple rinse (or equivalent). Then offer for recycling or reconditioning

or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If Contact Time: Effective against HIV-1 (AIDS burned, stay out of smoke.

> QuestSpecialty Corporation P.O. Box 624 Brenham, TX 77834

713.896.8188

ITEM 360000001-320T

600006360

1788 0073