

QuestSpecialty

ERADICATOR

Multi-Purpose Insect Spray

- Controls Bedbugs • Non Staining
- Controls Cockroaches, Mosquitoes, Crickets, Spiders, Scorpions, and Many Other Listed Insects
- For Use on Dogs and on Premises to Control Fleas and Ticks
- Controls Listed Pests for up to Four Weeks
- For Use on Livestock and Their Premises
- Controls Fleas and Ticks on Dogs for 14 Days

ACTIVE INGREDIENT:

*Permethrin 0.25%

OTHER INGREDIENTS: 99.75%

100.00%

Contains Petroleum Distillates

*1(3-phenoxyphenyl)methyl (+/-) cis/trans 3-(2,2-dichloroethenyl)-2,2-dimethylcyclopropanecarboxylate (Cis/Trans ratio: Min. 35% (+/-) cis and Max. 65% (+/-) trans.)

EPA REG. NO. 44446-62 EPA EST. NO. 44446-TX-1

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

NET WT. 16 OZ. (454 g)

QuestSpecialty Corporation
P.O. Box 624 • Brenham, TX 77834
713.896.8188



READ ENTIRE LABEL BEFORE EACH USE
FOR PET USES: USE ONLY ON DOGS. DO NOT USE ON
CATS OR KITTENS

PRECAUTIONARY STATEMENTS
Hazards to Humans & Domestic Animals
CAUTION

Hazards to Humans:
Harmful if absorbed through skin. Causes moderate eye irritation.
Avoid contact with skin, eyes or clothing.

Hazards to Domestic Animals:
Do not spray directly in/on eyes, mouth or genitalia of pets.
Use only on dogs. Do not use on cats or kittens. Do not use on
puppies less than twelve (12) weeks old. Consult a veterinarian
before using this product on debilitated, aged, pregnant, medi-
cated, or nursing animals. Sensitivities may occur after using any
pesticide product for pets. If signs of sensitivity occur, bathe your
pet with mild soap and rinse with large amounts of water. If signs
continue, consult a veterinarian immediately.

Personal Protective Equipment (PPE)
Wear long-sleeved shirt and long pants, socks and shoes, and
chemical resistant gloves (such as those made out of Barrier
Laminate, Nitrile Rubber, Neoprene Rubber, or Viton, Selection
Category E).

User Safety Recommendations
User should wash hands before eating, drinking, chewing gum,
using tobacco, or using the toilet.
User should remove clothing/PPE immediately if pesticide gets
inside. Then wash thoroughly and put on clean clothing.
User should remove PPE immediately after handling this product.
Wash the outside of gloves before removing. As soon as possible,
wash thoroughly and change into clean clothing.

Environmental Hazards
This pesticide is extremely toxic to aquatic organisms, including
fish and invertebrates. To protect the environment, do not allow
pesticide to enter or run off into storm drainage ditches, gutters, or
surface waters. Applying this product in calm weather when rain
is not predicted for the next 24 hours will help to ensure that rain
or rain does not blow or wash pesticide off the treatment area.
This pesticide is highly toxic to bees exposed to direct treatment
on blooming crops or weeds. Do not apply this product or allow
it to drift to blooming crops or weeds while bees are actively
visiting the treatment areas.

Physical and Chemical Hazards
Contents under pressure. Do not use or store near heat or
open flame. Do not puncture or incinerate container. Exposure
to temperatures above 130°F may cause bursting. Do not use
this product in or on electrical equipment due to the possibility
of shock hazard.

FIRST AID

If Swallowed: Immediately call poison control center or doctor.
Do not induce vomiting unless told to do so by a poison control
center or doctor. Do not give any liquid to the person. Do not give
anything by mouth to an unconscious person.

If In Eyes: Hold eye open and rinse slowly and gently with water
for 15-20 minutes. Remove contact lenses, if present, after the
first 5 minutes, then continue rinsing eye. Call a poison control
center or doctor for treatment advice.

If On Skin or Clothing: Take off contaminated clothing. Rinse
skin immediately with plenty of water for 15-20 minutes. Call
a poison control center or doctor for further treatment advice.
Have the product container or label with you when calling a
poison control center or doctor, or going for treatment. You may
also contact 1-800-255-3924 for emergency medical treatment
information.

NOTE TO PHYSICIAN: Contains petroleum distillates. Vomiting
may cause aspiration pneumonia.

DISPOSITION OF USE

It is a violation of Federal law to use this product in a manner
inconsistent with its labeling.

RESTRICTIONS
Not for use on plants being grown for sale or other commercial
use, or for commercial seed production, or for research purposes.
For use on plants intended for aesthetic purposes and being
grown in ornamental gardens or parks, or on golf courses or
lawns and grounds.

Do not use in the edible product areas of food/feed processing
plants, restaurants or other areas where food/feed is commer-
cially prepared or processed. Do not use in serving areas while
food is exposed or facility is in operation. Serving areas are areas
where prepared foods are served such as dining rooms but ex-
cluding areas where foods may be prepared or held. Not for use
in Federally inspected meat and Poultry Plants.

Cover all food handling surfaces and cover or remove all food and
cooking utensils, or wash thoroughly after treatment. Exposed
food should be covered or removed. Cover fish aquariums and
turn off air pumps.

NON-FOOD AREAS: ERADICATOR Multi-Purpose Insect Spray
may be applied in non-food/feed areas. Non-food/feed estab-
lishment areas are areas such as garbage rooms, laboratories,
floor drains (to sewers), entries and vestibules, offices, locker
rooms, machine rooms, boiler rooms, mop closets and closets
(after canning or bottling). Do not apply directly to sewers or
drains, or to any area like a gutter where drainage to sewers,
storm drains, water bodies, or aquatic habitat can occur, except
as directed by this label.

All outdoor applications, if permitted elsewhere on this label,
must be limited to spot or crack-and-crevice treatments only,
except for the following permitted uses:

- Treatment to soil or vegetation around structures;
- Applications to lawns, turf, and other vegetation;
- Applications to the side of the building, up to a maximum
height of 3 feet above grade;
- Applications to underside of eaves, soffits, doors, or windows
permanently protected from rainfall by a covering, overhang,
awning, or other structure;
- Applications around potential pest entry points into building,
when limited to a surface band not to exceed one inch in width;
- Applications made through the use of a coarse, low pres-
sure spray to only those portions of surfaces that are directly
above bare soil, lawn, turf, mulch or other vegetation, as
listed on this label, and not over an impervious surface, drain-
age or other condition that could result in runoff into storm
drains, drainage ditches, gutters, or surface waters, in order
to control occasional invaders or aggregating pests.

Do not apply as a broadcast treatment to indoor surfaces of
residential sites, including nurseries, day care centers, schools,
hospitals, and nursing homes.
Except when applying to pets or livestock, do not allow adults,
children or pets to enter the treated area until sprays are dried.
Do not apply this product to or near children's toys. Vacate room
after treatment and ventilate before reoccupying.

SHAKE WELL BEFORE USING

Indoor Residential Use
Remove protective cap, hold container upright and spray from
a distance of 12 to 15 inches. Remove birds and cover fish
aquariums before spraying.

Spray until surface is slightly wet, but not to the point of wetness
or runoff. Avoid excessive application.

Houseflies, Fruit Flies, Mosquitoes, Gnats, Wasps, Hornets,
Bees, Black Flies, Skipper Flies, Blow Flies and Small Flying
Moths: Close all doors and windows and spray room at the
rate of 2 to 3 seconds per 1000 cubic feet. Direct spray to all parts
of the room, especially windows and other light sources which
attract these insects. Keep nozzle in constant motion. Upon re-
entry, open windows and ventilate for at least 2 hours. Repeat
treatment once a month.

Cockroaches, Waterbugs, Palmetto Bugs, Silverfish,
Firebrats, Crickets, Scorpions, Spiders, Millipedes, Centi-
pedes, Sowbugs and Pillbugs: Spray into hiding places such
as cracks and crevices, behind sinks, cabinets, along baseboards
and floors, around drains and plumbing, lifting insects with spray
when ever possible. Upon re-entry, open windows and ventilate
for at least 2 hours. Repeat treatment once a month.

Ants: Spray trails, nests and points of entry. Spray on ants where
possible. Repeat treatment once a month.

Indian Meal Moths, Angoumois Grain Moths: Close doors and
windows, direct spray into all parts of room especially around
stored food product containers, pallets and darkened areas.
Spray 7 to 10 seconds for each 1000 cubic feet of space. Keep
area closed for 15 minutes following treatment. Upon re-entry,
open windows and ventilate for at least 2 hours. Repeat treat-
ment once a month.

EXPOSED STAGES OF Confused Flour Beetles, Saw-toothed
Grain Beetles, Red Flour Beetles, Rice Weevils, Granary
Weevils, Grain Mites: Spray into cracks and crevices, processing
and handling equipment, around cartons or containers or other
areas where these insects tend to congregate. Spray 30 seconds
for each 100 square feet of surface. Keep area closed for 45 min-
utes to 1 hour after treatment. Upon re-entry, open windows and
ventilate for at least 2 hours. Repeat treatment once a month.
Infested stored food products in the home should be disposed of.

Carpet Beetles: Spray directly on beetles, floors, baseboards,
shelves and carpets. Repeat treatment once a month.
Bedbugs: Spray mattresses, particularly around tufts and seams.
Take beds apart and spray into all joints. Treat baseboards,
moldings and floors. Allow all sprayed articles to dry thoroughly
before reuse. After mattress is dry cover with mattress cover and
sheet. Do not use mattress without cover. Repeat treatment
once a month.

TO CONTROL Clothes Moths and Carpet Beetles on wool and
other proteinaceous fibers: Remove infested articles from stor-

age, brush thoroughly, and air for several hours in sunlight, if
possible. Apply spray liberally to empty chests, closets, bureaus
and other storages directing the spray into cracks, joints and
crevices. After airing, infested articles may be treated by spraying
lightly, keeping ozone on for at least three feet from fabric to avoid
staining. Allow all sprayed articles to dry thoroughly before use.

IN ANIMAL QUARTERS AND MILK ROOMS: For rapid control of
Houseflies, Mosquitoes, Gnats, Wasps, Hornets, Bees and Small
Flying Moths. Remove animals prior to application. Close windows
and doors and spray at the rate of 2 seconds per 1000 cubic feet
of space. For best results, keep area closed for 10 minutes after
spraying. Do not remain in treated area and ventilate after treat-
ment is completed. Upon re-entry, open windows and ventilate for
at least 2 hours. Repeat treatment once a month. When used in
dairy barns or facilities: Cover or remove all food and water.
Close milk bulk tank lids to prevent contamination from spray and
from dead and falling insects. Remove or cover milking utensils
before application. Wash teats of animals before milking.

TO TREAT LIVESTOCK: To protect beef cattle, dairy cattle, goats,
sheep, hogs (swine) and horses from attacks of Stable Flies,
Horse Flies, Deer Flies, Face Flies, Houseflies, Horn Flies,
Mosquitoes, and Gnats. Spray about 3 seconds on each side
being careful to spray back, withers and forelegs thoroughly. To
protect from Face Flies, spray the face and head, but do not spray
into eyes. Repeat treatment when flies are troublesome.

FOR SWINE: Do not ship animals for slaughter within 5 days
of last treatment.

FOR CONTROL OF Bedbugs and Mites IN POULTRY HOUSES,
spray crevices of roost poles, cracks in walls, and cracks in nests
where the bedbugs and mites hide. Cover or remove all food/
feed and water prior to application.

Fleas and Ticks (Adults and Larvae): Remove and thoroughly
clean or destroy pet bedding. Spray pet sleeping quarters, bed,
entire floor and floor covering, with special attention to cracks
and crevices around baseboards, and window and door frames.
Infested upholstered furniture may also be treated with this prod-
uct. Make a test application to upholstery or drapery fabrics in a
inconspicuous place before use. Allow all treated surfaces to
dry thoroughly before allowing pets or humans to use.

TO CONTROL Fleas and Ticks ON DOGS: Starting at the tail,
stroke against the lay of the hair, spraying the parted fur in short
bursts, directly behind the hand to insure penetrating the coat.
Demat the fur up to the head. Repeat application every two
weeks if necessary. Do Not Use On Cats or Kittens.

Outdoor Uses:

Do not use on food crops, or fruit trees.
Do not make application during the rain.

FOR THE CONTROL OF GARDEN INSECTS: For use on roses,
dahlias, asters and other ornamentals to kill Japanese Beetles
hit by spray, as well as Whiteflies, Aphids, Exposed Thrips,
Spiders, Red Mites and Leafminers.

May be used on plants as well as a multi-purpose spray in small
gardens and for spot treatments of incipient insect infestations to
prevent spreading in large garden areas.

May also be used on other non-food plants such as African vio-
lets, asters, azaleas, begonias, carnations, chrysanthem-
ums, dahlias, delphiniums, dogwood, English ivy, Euconymus,
fuschia, geraniums, crossling, grape vine, Kentia palm, laurel,
marigolds, rhododendrons, roses, rubber plants, snapdragons,
stocks, wandering Jews and zinnias.

Effective when used as directed against Whiteflies, Aphids,
Spider and Red Mites, Exposed Thrips, Lace Bugs, Japanese
Beetles, Pavement Ants, Ovary Mites and Armyworms. When
spraying plants, do not operate closer than 18 inches. Use
sweeping motion. Spray in one second bursts. Be cautious about
wetting tender foliage, young plants and new growth. Do not
spray plants when temperatures exceed 90°F. Over application
may cause damage. Contact insecticide directly whenever possible.
Repeat treatment as infestations occur.

PESTICIDE STORAGE

Do not contaminate water, food or feed by storage or disposal.
Storage: Store in a cool, dry area away from children and pets
and away from heat, sparks and open flame. Do not transport
or store below 32°F.

PESTICIDE DISPOSAL AND CONTAINER HANDLING

Disposal: Do Not Puncture or Incinerate! If Empty: Place in trash
or offer for recycling if available. If partly filled: Call your local
solid waste agency or 1-800-CLEANUP for disposal instructions.

INGREDIENTS (CAS#): Water (7732-18-5), Propylene/Butane
(68476-86-8), Isoparaffinic Hydrocarbon (64742-47-8), Per-
methrin (52645-53-1).

HMS RATINGS: Health - 1, Flammability - 1, Reactivity - 0,
Personal - A.

ITEM 45400001-20AR

Made In USA