

QuestSpecialty

**MISTER
BLISTER**

Paint Remover
Removedor de Pintura

Methylene Chloride Free
Multi-Surface

Removes a Wide Range of
Paints & Sealers from Metal,
Concrete and Wood

DANGER/PELIGRO
EXTREMELY FLAMMABLE AEROSOL.
CONTAINS GAS UNDER PRESSURE;
MAY EXPLODE IF HEATED. AEROSOL
EXTREMADAMENTE INFLAMMABLE.
CONTIENE GAS A PRESIÓN; PUEDE
EXPLOTAR SI SE CALIENTA.

NET WT. 11 OZ. (312 g)

QuestSpecialty Corporation
P.O. Box 624 • Brenham, TX 77834
800.231.0454 • www.questspecialty.com

SDS AND
PRODUCT INFO



Gel-based paint remover quickly removes paint, lacquer, shellac, enamel, varnish, labels, carbon deposits, silicone, simulated wood paneling and similar materials. Product will not run. The methylene chloride free formula is a safer alternative to paint removal.

FOR USE BY: Auto dealers, paint shops, maintenance departments, engine rebuilders, factories, furniture refinishers, painters, sign builders, schools, motels, hotels, hospitals and offices.

FOR USE ON: Metal parts, plaster, concrete, tile, glass, ceramic, engine parts, valve seals, paint guns, paper, wood, stone, masonry and cylinders.

DIRECTIONS FOR USE: Shake well before using. Holding can eight to ten inches from surface to be treated, apply a medium to heavy coat on surface as needed. A thicker application will speed up action. Blistering will occur in three or four minutes, but may take up to twenty minutes, depending on material being treated. Allow product to complete blistering before removing.

MODO DE EMPLEO: Agítese bien antes de usar. Mantenga el bote entre 8 y 10 pulgadas de la superficie que se va a tratar. Aplique una capa mediana o gruesa según se necesite. Una capa gruesa acelerará la reacción. La descascaración toma tres minutos pero puede tardarse hasta veinte minutos dependiendo en el material que se está tratando. Permita que el producto termine el descascaramiento antes de comenzar a remover.

DANGER: Extremely flammable aerosol. Contains gas under pressure; May explode if heated. Causes serious eye damage. Causes skin irritation. May cause drowsiness or dizziness. May cause damage to organs through prolonged or repeated exposure. Suspected of damaging fertility or the unborn child. Keep away from heat, sparks, open flames, and hot surfaces. -No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Do not breathe dust/fume/gas/mist/vapors/spray. Wash hands and face thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN: Take off immediately all contaminated clothing. Immediately rinse with water for several minutes. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical help. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get emergency medical help immediately. Specific treatment (see First Aid Measures section of this SDS). IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. Use only outdoors or in a well-ventilated place. Store in a well-ventilated place. Keep container tightly closed.

Obtain, read and follow all safety instructions before use. If exposed or concerned, get medical advice. Dispose of contents and container in accordance with local, state, and national regulations.

PELIGRO: Aerosol extremadamente inflamable. Contiene gas bajo presión; Puede explotar si se calienta. Causa daño ocular grave. Provoca irritación de la piel. Puede causar somnolencia o mareos. Puede provocar daños en los órganos tras exposiciones prolongadas o repetidas. Se sospecha que daña la fertilidad o daña al feto. Mantener alejado del calor, chispas, llamas abiertas y superficies calientes. -No Fumar. No rocíe sobre una llama abierta u otra fuente de ignición. Envase a presión: No perforar ni quemar, incluso después de su uso. Proteger de la luz solar. No exponer a temperaturas superiores a 50°C/122°F. No respirar el polvo/el humo/el gas/la niebla/los vapores/el aerosol. Lávese bien las manos y la cara después de la manipulación. Utilice guantes/ropa protectora/protección para los ojos/protección facial. EN CASO DE INGESTIÓN: Enjuague la boca. No induzca el vomito. EN CASO DE CONTACTO CON LA PIEL: Quitar inmediatamente toda la ropa contaminada. Enjuague inmediatamente con agua durante varios minutos. Lave la ropa contaminada antes de volver a usarla. Si se produce irritación de la piel: busque ayuda médica. EN CASO DE INHALACIÓN: Lleve a la persona al aire libre y manténgala cómoda para respirar. Obtenga ayuda médica de emergencia de inmediato. Tratamiento específico (consulte la sección Medidas de primeros auxilios de esta SDS). EN CASO DE CONTACTO CON LOS OJOS: Enjuague inmediatamente con agua durante varios minutos. Qúitese los lentes de contacto si los tiene y es fácil de hacer. Continúe enjuagando. Úselo únicamente al aire libre o en un lugar bien ventilado. Almacenar en un lugar bien ventilado. Mantener el contenedor bien cerrado. Obtenga, lea y siga todas las instrucciones de seguridad antes de su uso. Si está expuesto o preocupado, busque atención médica. Deseche el contenido y el contenedor de acuerdo con las regulaciones locales, estatales y nacionales.

CONTAINS (CAS#): Acetone (67-64-1), Dioxolane (646-06-0), Propane/n-Butane (68476-86-8), Monoethanolamine (141-43-5), Isopropylidene Glycol (100-79-8).

HMIS RATINGS: Health - 3, Flammability - 3, Reactivity - 0, Personal - B.

ITEM 55700001-16AR

Made in USA

