Express Wipes Graffiti Remover

SECTION I - IDENTIFICATION

PRODUCT IDENTIFIER: Express Wipes Graffiti Remover

PRODUCT CODE: 6430

RECOMMENDED USE: Cleaning Wipes **RESTRICTIONS ON USE:** None known.

COMPANY NAME: QuestSpecialty Corporation

COMPANY ADDRESS: P.O. Box 624, Brenham, TX 77834

COMPANY PHONE: 800-231-0454 **EMERGENCY PHONE:** 800-255-3924

SECTION II - HAZARDS IDENTIFICATION

CLASSIFICATION: Flammable Liquid: Category 4

Eye Damage: Category 1

HAZARD STATEMENT(S): DANGER: Combustible liquid. Causes serious eye damage. This product contains the following percentage of chemicals of unknown toxicity: 0.0%

PRECAUTIONARY STATEMENTS: Keep away from heat, hot surface, sparks, open flames and other ignition sources. No smoking. Wear protective gloves/protective clothing/eye protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a doctor. In case of fire: Use water spray, dry extinguishing powder, foam, to extinguish. Store in a well-ventilated place. Dispose of contents/container to comply with local/regional/national/international regulations.

SYMBOL:



HAZARDS NOT OTHERWISE CLASSIFIED: N/A

SECTION III - COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENT	CAS NUMBER	PERCENT
Ethyl Lactate	97-64-3	15-30%
Dimethyl Succinate	106-65-0	15-30%
Linear Alcohol Ethoxylate	34398-01-1	1-5%
Methanol (impurity)	67-56-1	0.1-1%

Trade Secret Information: A specific chemical identity and/or percentage of composition has been withheld as a trade secret.

SECTION IV - FIRST AID MEASURES

EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention.

INGESTION: If swallowed: Rinse mouth. Do NOT induce vomiting. Get medical advice or attention.

INHALATION: Move to fresh air. If breathing difficulty persists, seek medical attention.

SKIN: Immediately wash with soap and water for 15 minutes. Seek medical attention if irritation develops.

ACUTE HEALTH HAZARDS: None known. CHRONIC HEALTH HAZARDS: None known.

NOTE TO PHYSICIAN: There is no specific treatment regimen. Treatment of overexposure should be directed toward the control of symptoms and the clinical condition of the patient.

SECTION V - FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA: Use water spray, dry extinguishing powder, or foam.

UNSUITABLE EXTINGUISHING MEDIA: Do not use heavy water jets or streams.

SPECIAL FIRE FIGHTING PROCEDURES: Wear NIOSH approved Self Contained Breathing Apparatus with a full face piece operated in a positive pressure demand mode with full body protective clothing when fighting fires.

Express Wipes Graffiti Remover

UNUSUAL FIRE AND EXPLOSION HAZARDS: N/A

HAZARDOUS COMBUSTION PRODUCTS: Oxides of carbon and.or various hydrocarbons.

SECTION VI - ACCIDENTAL RELEASE MEASURES

PERSONAL PROTECTIVE EQUIPMENT: Refer to section VIII for proper Personal Protective Equipment.

SPILL: Ventilate area and remove all sources of ignition. Place material in a properly marked closed container for proper disposal. Dispose of in accordance with local, state and federal regulations.

WASTE DISPOSAL: Do not flush towelette. Dispose of in accordance with local, state, and federal regulations. Product should be fully characterized prior to disposal (40 CFR 261).

RCRA STATUS: Not listed as hazardous waste under RCRA, however product should be fully characterized prior to disposal (40 CFR 261).

SECTION VII - HANDLING AND STORAGE

HANDLING AND STORAGE: Lock up and store in a cool, dry area. Keep container tightly closed. Follow label directions.

OTHER PRECAUTIONS: Store in a cool, dry area away from heat, sparks or flame. Read directions before using. Keep container tightly closed when not in use. Keep out or reach of children.

INCOMPATIBILITY: Strong oxidizers, alkalis, and strong acids.

SECTION VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

HAZARDOUS INGREDIENT	OSHA PEL	ACGIH TLV
Ethyl Lactate	Not Established	Not Established
Dimethyl Succinate	Not Established	Not Established
Linear Alcohol Ethoxylate	Not Established	Not Established
Methanol (impurity)	200 ppm	200 ppm

ENGINEERING CONTROLS / VENTILATION: Ambient ventilation adequate.

RESPIRATORY PROTECTION: Not required with normal use.

PERSONAL PROTECTIVE EQUIPMENT: Safety glasses/goggles, protective clothing and chemical resistant gloves.

ADDITIONAL MEASURES: Wash hands thoroughly after handling.

SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Premoistened towelette.

ODOR: Mild.

ODOR THRESHOLD: N/D

pH: N/A

MELTING POINT/FREEZING POINT: N/D

INITIAL BOILING POINT AND BOILING RANGE: N/D

FLASH POINT: 163°F Closed cup - Tested using the liquid components of the towelette.

EVAPORATION RATE: N/D

FLAMMABILITY (solid/gas): Combustible Liquid

UPPER/LOWER FLAMMABILITY OR EXPLOSIVE LIMITS:

LOWER FLAMMABILITY LIMIT: N/D UPPER FLAMMABILITY LIMIT: N/D EXPLOSIVE LIMIT LOWER (%): N/D EXPLOSIVE LIMIT UPPER (%): N/D VAPOR PRESSURE (mm Hg): N/D VAPOR DENSITY (AIR=1): N/A

RELATIVE DENSITY (H2O=1): 1.03 g/ml - Tested using the liquid component of the towelette.

SOLUBILITY(IES): Liquid soluble, wipe insoluble

PARTITION COEFFICIENT: n-OCTANOL/WATER (Kow): N/D

AUTOIGNITION TEMPERATURE: N/D **DECOMPOSITION TEMPERATURE:** N/D

VISCOSITY: N/D

SECTION X - STABILITY AND REACTIVITY

REACTIVITY: If exposed to strong oxidizers, presents explosion hazard.

CHEMICAL STABILITY: Stable.

Express Wipes Graffiti Remover

POSSIBLE HAZARDOUS REACTIONS: None known.

CONDITIONS TO AVOID: Excessive heat.

INCOMPATIBLE MATERIALS: Strong oxidizers, alkalis, and strong acids.

HAZARDOUS DECOMPOSITION PRODUCTS: Under normal conditions of storage and use, hazardous decomposition products

should not be produced.

SECTION XI – TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION: Ethyl Lactate (97-64-3): LD₅₀ (Oral, Rat) 8200 mg/kg; LD₅₀ (Dermal, Rabbit) >5000 mg/kg.

Dimethyl Succinate (106-65-0): LD₅₀ (Oral, Rat) 6892 mg/kg; LD₅₀ (Dermal, Rabbit) >5000 mg/kg. Linear Alcohol

Ethoxylate (34398-01-1): LD₅₀ (Oral, Rat) >1400 mg/kg.

ROUTES OF ENTRY: Eyes, Skin **EYES:** Causes serious eye damage.

INGESTION: May be harmful if swallowed. Not an expected route of exposure. **INHALATION:** May cause respiratory tract irritation. Avoid breathing spray mist.

SKIN: May cause mild irritation, localized defatting, dryness.

MEDICAL CONDITION AGGRAVATED: May aggravate existing dermatitis.

ACUTE HEALTH HAZARDS: None known. CHRONIC HEALTH HAZARDS: None known.

CARCINOGENICITY: OSHA: No ACGIH: No NTP: No IARC: No OTHER: CA Prop 65

SECTION XII - ECOLOGICAL INFORMATION

ECOTOXICITY: Ethyl Lactate (97-64-3): LC₅₀ (Zebra Fish, 96-hr) 320 mg/L; EC₅₀ (Daphnia magna, 48-hr) 560 mg/L. **Dimethyl** Succinate (106-65-0): LC₅₀ (Zebra fish, 96-hr) 50 mg/L; EC₅₀ (Daphnia magna, 48-hr) >100 mg/L. **Linear Alcohol Ethoxylate** (34398-01-1): LC₅₀ (Fish) 5 - 10 mg/L; EC₅₀ (Fish, 96-hr) 5 - 10 mg/L.

PERSISTENCE AND DEGRADABILITY: The liquid formulation is biodegradable.

BIOACCUMULATIVE POTENTIAL: The liquid formulation is not expected to bioaccumulate.

MOBILITY IN SOIL: This product is mobile in soil. OTHER ADVERSE EFFECTS: None known.

SECTION XIII - DISPOSAL CONSIDERATIONS

WASTE DISPOSAL: Do not flush towelette. Dispose of in accordance with local, state, and federal regulations. Product should be fully characterized prior to disposal (40 CFR 261).

RCRA STATUS: Not listed as hazardous waste under RCRA, however product should be fully characterized prior to disposal (40 CFR 261).

SECTION XIV - TRANSPORT INFORMATION

PROPER SHIPPING NAME: Cleaning Compound, N.O.S.

HAZARD CLASS/DIVISION: N/A **UN/NA NUMBER:** N/A **PACKING GROUP:** None

AIR SHIPMENT

PROPER SHIPPING NAME: Cleaning Compound, N.O.S.

HAZARD CLASS/DIVISION: N/A UN/NA NUMBER: N/A PACKING GROUP: None

SHIPPING BY WATER: VESSEL (IMO/IMDG)

PROPER SHIPPING NAME: Cleaning Compound, N.O.S.

HAZARD CLASS/DIVISION: N/A UN/NA NUMBER: N/A PACKING GROUP: None

ENVIRONMENTAL HAZARDS WATER: N/A

SECTION XV - REGULATORY INFORMATION

TSCA STATUS: All chemicals are listed or exempt.

Express Wipes Graffiti Remover

CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT): Methanol (67-56-1) Reportable Quantity = 5,000 pounds.

SARA 311/312 HAZARD CATEGORIES: Health Hazard and Physical Hazard.

SARA 313 REPORTABLE INGREDIENTS: Methanol (67-56-1).

STATE REGULATIONS: California Proposition 65: WARNING: This product can expose you to chemicals including Ethylene Oxide, which is known to the State of California to cause cancer, birth defects and other reproductive harm. For more information go to www.P65Warnings.ca.gov.

INTERNATIONAL REGULATIONS: All components are listed or exempted. **VOLATILE ORGANIC COMPOUNDS (VOC):** <20% (Liquid concentrate)

NFPA HEALTH: 1
NFPA FLAMMABILITY: 2
NFPA REACTIVITY: 0
NFPA OTHER: None
HMIS HEALTH: 1
HMIS HEALTH: 1
HMIS FLAMMABILITY: 2
HMIS REACTIVITY: 0
HMIS PROTECTION: B

SECTION XVI - OTHER INFORMATION

PREPARATION BY: Craig Bernard DATE PREPARED: 12/11/2013 REVISION DATE: 07/09/2024

N/A = Not Applicable; N/D = Not Determined

DISCLAIMER: To the best of our knowledge, information contained herein is accurate. However, there is no assumption of liability for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazard which exists. The information contained in this SDS was obtained from current and reliable sources; however, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions or handling, storage and disposal of this product are beyond the control of the manufacturer, the manufacturer will not be responsible for loss, injury, or expense arising out of the products improper use. No warranty, expressed or inferred, regarding the product described in this SDS shall be created or inferred by any statement in this SDS. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product which may not be covered by this SDS. The user is responsible for full compliance.