



# **QUIK SOLV**





## DESCRIPTION

QUIK SOLV provides industry an alternative to products containing chlorinated solvents. Dries quickly, leaving no residue. The low-odor, non-flammable, non-conductive formula cleans and degreases electric motors, power tools, printing presses, refrigeration and air conditioning equipment, generators and starters, office machines, most metals including steel, nickel, zinc, titanium, galvanized steel, copper, magnesium, brass and tin plate. Also safe for use on some plastics, including those used in contact and circuit board construction. May affect certain types of plastics, such as PVC, ABS, acrylic styrenes, and polycarbonates. If unsure of compatibility, test in an inconspicuous area prior to use.

Due to VOC regulations, not available for sale in CA, CT, MD, PA, NJ, OH, MA, ME, MI, NY, DE, VA, DC, NH, UT.

## **APPLICATIONS**

For use on electric motors, power tools, printing presses, refrigeration and air conditioning equipment, generators and starters, office machines, ultrasonic cleaners, film cleaning equipment and other machinery. Areas of use include auto repair shops, factories, printers, machine shops, aircraft services, HVAC services, and electrical maintenance services.

#### **FEATURES & BENEFITS**

- · High solvent power
- Non-flammable
- · Evaporates quickly
- Non-chlorinated

#### **SPECIFICATIONS**

FORM: Solvent-Based Liquid **ODOR: Strong Solvent** COLOR: Clear **DETERGENCY: None** TOXICITY: N/A WETTING ABILITY: Moderate STORAGE STABILITY: 1 Year +

COLD STABILITY: 0°F **PHOSPHATES: None** 

FLASH POINT: N/A FLAME EXTENSION: N/A

SOLUBILITY IN WATER: Non-soluble

**SPECIFIC GRAVITY: 1.3** 

% VOC: 97% pH: N/A

**BIODEGRADABILITY: No EVAPORATION RATE: Fast** 

# **LABEL INFORMATION**

**QUIK SOLV SOLVENT DEGREASER** 

QUIK SOLV provides industry an alternative to products containing chlorinated solvents. Dries quickly, leaving no residue. The low-odor, nonflammable, non-conductive formula cleans and degreases electric motors, power tools, printing presses, refrigeration and air conditioning equipment, generators and starters, office machines, most metals including steel, nickel, zinc, titanium, galvanized steel, copper, magnesium, brass and tin plate. Also safe for use on some plastics, including those used in contact and circuit board construction. May affect certain types of plastics, such as PVC, ABS, acrylic styrenes, and polycarbonates. If unsure of compatibility, test in an inconspicuous area prior to use.

DIRECTIONS FOR USE: Spray surface to be cleaned with sprayer or brush, and wipe with clean cloth. For heavy deposits, let stand for 30 seconds or scrub with brush. Flush a second time and wipe with clean cloth. Electric motors may be cleaned while in operation. Blow dry with compressed air and lubricate bearings after cleaning.

DANGER: Causes skin and serious eye irritation. May damage fertility. May cause respiratory irritation, drowsiness, or dizziness. May cause cancer. May be harmful if swallowed or inhaled.

Wash face, hands and any exposed skin thoroughly after handling, take off contaminated clothing and wash it before reuse. If on skin, wash with plenty of soap and water. If skin irritation occurs, get medical advice or attention. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear viton gloves. DO NOT use natural rubber gloves when handling this product. Wear safety glasses. If exposed or concerned: Get medical advice/attention. Keep container tightly closed. Store in a well-ventilated place. Dispose of contents and container in accordance with local/regional/national regulations. Avoid breathing fumes, mist, vapors, and spray. Use only outdoors or in a well-ventilated area. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell. Store locked up.

Contains (CAS#): n-Propyl Bromide (106-94-5).

	HEALTH	2
	FLAMMABILITY	1
	REACTIVITY	0
	PERSONAL	В



## PACKAGING INFORMATION