



# ERADICATOR

## MULTI-PURPOSE INSECT SPRAY

### DESCRIPTION

**ERADICATOR** is an EPA registered water base aerosol true multi-purpose insect killer. Contains the synthetic pyrethroid permethrin for quick knockdown and up to four weeks residual control of crawling and flying insects. Non-staining formula controls bedbugs and many other crawling insects. Controls houseflies, mosquitoes, and many other flying insects. For use on dogs and on premises to control fleas and ticks. For use on livestock to control flies, fleas and gnats. Controls garden insects on ornamentals and plants. Authorized for use in animal quarters and milk houses.

### APPLICATIONS

Kills and controls bedbugs, cockroaches, mosquitoes, crickets, spiders, scorpions, fleas and ticks, houseflies, gnats, fruit flies, black flies, carpet beetles, clothes moths, palmetto bugs, silverfish, centipedes, garden insects and more. For use in homes, hotels/motels, airports, barns and livestock areas, kennels, and more.

### FEATURES & BENEFITS

- Controls bedbugs
- For use on dogs and on premises to control fleas and ticks
- Controls listed pests for up to four weeks
- For use on livestock and their premises
- Controls cockroaches, mosquitoes, crickets, spiders, scorpions, and many other listed insects

### SPECIFICATIONS

**FORM:** Water-Based Aerosol  
**ODOR:** Slight Insecticidal  
**COLOR:** Milky  
**DETERGENCY:** None  
**TOXICITY:** 400 ppm OSHA PEL  
**WETTING ABILITY:** Good  
**STORAGE STABILITY:** 1 Year+  
**COLD STABILITY:** 32°F  
**PHOSPHATES:** None  
**VOC CONTENT:** N/A

**FLASH POINT:** >200°F TCC  
**FLAME EXTENSION:** None  
**SOLUBILITY IN WATER:** 100%  
**SPECIFIC GRAVITY:** 0.97  
**% VOLATILE BY VOLUME:** 25%  
**pH:** 7.0  
**Propellant:** Hydrocarbon  
**EVAPORATION RATE:** Slow  
**BIODEGRADABILITY:** Yes

**ACTIVE INGREDIENT:**  
 \*Permethrin . . . . . 0.25%  
**OTHER INGREDIENTS:** . . . . . 99.75%  
 100.00%

Contains Petroleum Distillates  
 \*1 (3-phenoxyphenyl)methyl (+/-) cis/trans 3-(2,2-dichloro-ethenyl)-2, 2-dimethylcyclopropanecarboxylate (Cis/Trans ratio: Min. 35% (+/-) cis and max. 65% (+/-) trans.)

EPA REG. NO. 44446-62 EPA EST. NO. 44446-TX-1

### LABEL INFORMATION

#### ERADICATOR MULTI-PURPOSE INSECT SPRAY

**READ ENTIRE LABEL BEFORE EACH USE**

**FOR PET USES: USE ONLY ON DOGS. DO NOT USE ON CATS OR KITTENS**

#### PRECAUTIONARY STATEMENTS

**Hazards To Humans & Domestic Animals**

#### CAUTION

Hazards to Humans:

Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing.

Hazards to Domestic Animals:

Do not spray directly in/on eyes, mouth or genitalia of pets. Use only on dogs. **Do not use on cats or kittens.** Do not use on puppies less than twelve (12) weeks old. Consult a veterinarian before using this product on debilitated, aged, pregnant, medicated, or nursing animals. Sensitivities may occur after using any pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

Personal Protective Equipment (PPE)

Wear long-sleeved shirt and long pants, socks and shoes, and chemical resistant gloves (such as those made out of Barrier Laminate, Nitrile Rubber, Neoprene Rubber, or Viton, Selection Category E).

#### User Safety Recommendations

User should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.

User should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

User should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

#### Environmental Hazards

This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drainage ditches, gutters, or surface waters. Applying this product in calm weather when rain is

not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

This pesticide is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment areas.

#### Physical and Chemical Hazards

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not use this product in or on electrical equipment due to the possibility of shock hazard.

#### FIRST AID

**If Swallowed:** Immediately call poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give **any** liquid to the person. Do not give anything by mouth to an unconscious person

**If In Eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

**If On Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-255-3924 for emergency medical treatment information.

**NOTE TO PHYSICIAN:** Contains petroleum distillates. Vomiting may cause aspiration pneumonia.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. RESTRICTIONS

Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes and being grown in ornamental gardens or parks, or on golf courses or lawns and grounds.

Do not use in the edible product areas of food/feed processing plants, restaurants or other areas where food/feed is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms but excluding areas where foods may be prepared or held. Not for use in Federally Inspected meat and Poultry Plants.

Cover all food handling surfaces and cover or remove all food and cooking utensils, or wash thoroughly after treatment. Exposed food should be covered or removed. Cover fish aquariums and turn off air pumps.

**NON-FOOD AREAS:** ERADICATOR Multi-Purpose Insect Spray may be applied in non-food/feed areas. Non-food/feed establishment areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, mop closets and storage (after canning or bottling). Do not apply directly to sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur, except as directed by this label. All outdoor applications, if permitted elsewhere on this label, must be limited to spot or crack-and-crevice treatments only, except for the following permitted uses:

- Treatment to soil or vegetation around structures;
- Applications to lawns, turf, and other vegetation;
- Applications to the side of the building, up to a maximum height of 3 feet above grade;
- Applications to underside of eaves, soffits, doors, or windows permanently protected from rainfall by a covering, overhang, awning, or other structure;
- Applications around potential pest entry points into building, when limited to a surface band not to exceed one inch in width;
- Applications made through the use of a coarse, low pressure spray to only those portions of surfaces that are directly above bare soil, lawn, turf, mulch or other vegetation, as listed on this label, and not over an impervious surface, drainage or other condition that could result in runoff into storm drains, drainage ditches, gutters, or surface waters, in order to control occasional invaders or aggregating pests.

Do not apply as a broadcast treatment to indoor surfaces at residential sites, including nurseries, day care centers, schools, hospitals, and nursing homes.

Except when applying to pets or livestock, do not allow adults, children or pets to enter the treated area until sprays are dried.

Do not apply this product to or near children's toys. Vacate room after treatment and ventilate before reoccupying.

#### SHAKE WELL BEFORE USING

Indoor Residential Use

Remove protective cap, hold container upright and spray from a distance of 12 to 15 inches. Remove birds and cover fish aquariums before spraying.

Spray until surface is slightly wet, but not to the point of wetness or run-off. Avoid excessive application.

**Houseflies, Fruit Flies, Mosquitoes, Gnats, Wasps, Hornets, Bees, Black Flies, Skipper Flies, Blow Flies and Small Flying Moths:** Close all doors and windows and spray room at the rate of 2 to 3 seconds per 1000 cubic feet. Direct spray to all parts of the room, especially windows and other light sources which attract these insects. Keep nozzle in constant motion. Upon re-entry, open windows and ventilate for at least 2 hours. Repeat treatment once a month.

**Cockroaches, Waterbugs, Palmetto Bugs, Silverfish, Firebrats, Crickets, Scorpions, Spiders, Millipedes, Centipedes, Sowbugs and Pillbugs:** Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards and floors, around drains and plumbing, hitting insects with spray when ever possible. Upon re-entry, open windows and ventilate for at least 2 hours. Repeat treatment once a month.

**Ants:** Spray trails, nests and points of entry. Spray on ants where possible. Repeat treatment once a month.

**Indian Meal Moths, Angoumois Grain Moths:** Close doors and windows, direct spray into all parts of room especially around stored food product containers, pallets and darkened areas. Spray 7 to 10 seconds for each 1000 cubic feet of space. Keep area closed for 15 minutes following treatment. Upon re-entry, open windows and ventilate for at least 2 hours. Repeat treatment once a month.

**EXPOSED STAGES OF Confused Flour Beetles, Saw-Toothed Grain Beetles, Red Flour Beetles, Rice Weevils, Granary Weevils, Grain Mites:** Spray into cracks and crevices, processing and handling equipment, around cartons or containers or other areas where these insects tend to congregate. Spray 30 seconds for each 100 square feet of surface. Keep area closed for 45 minutes to 1 hour after treatment. Upon re-entry, open windows and ventilate for at least 2 hours. Repeat treatment once a month. Infested stored food products in the home should be disposed of.

**Carpet Beetles:** Spray directly on beetles, floors, baseboards, shelves and carpets. Repeat treatment once a month.

**Bedbugs:** Spray mattresses, particularly around tufts and seams. Take beds apart and spray into all joints. Treat baseboards, moldings and floors. Allow all sprayed articles to dry thoroughly before reuse. After mattress is dry cover with mattress cover and sheet.

## PACKAGING INFORMATION

12–20 oz. cans per case, 16 oz. net weight

Do not use mattress without cover. Repeat treatment once a month.

**TO CONTROL Clothes Moths and Carpet Beetles** on wool and other proteinaceous fibers: Remove infested articles from storage, brush thoroughly, and air for several hours in sunlight, if possible. Apply spray liberally to empty chests, closets, bureaus and other storages directing the spray into cracks, joints and crevices. After airing, infested articles may be treated by spraying lightly, keeping nozzle at least three feet from fabric to avoid staining. Allow all sprayed articles to dry thoroughly before use.

**IN ANIMAL QUARTERS AND MILK ROOMS:** For rapid control of **Houseflies, Mosquitoes, Gnats, Wasps, Hornets, Bees** and **Small Flying Moths**. Remove animals prior to application. Close windows and doors and spray at the rate of 2 seconds per 1000 cubic feet of space. For best results, keep area closed for 10 minutes after spraying. Do not remain in treated area and ventilate after treatment is completed. Upon re-entry, open windows and ventilate for at least 2 hours. Repeat treatment once a month. When used in dairy barns or facilities: Cover or remove all food/feed and water. Close milk bulk tank lids to prevent contamination from spray and from dead and falling insects. Remove or cover milking utensils before application. Wash teats of animals before milking.

**TO TREAT LIVESTOCK:** To protect beef cattle, dairy cattle, goats, sheep, hogs (swine) and horses from attacks of **Stable Flies, Horse Flies, Deer Flies, Face Flies, Houseflies, Horn Flies, Mosquitoes, and Gnats:** Spray about 3 seconds on each side being careful to spray back, withers and forelegs thoroughly. To protect from **Face Flies**, spray the face and head, but do not spray into eyes. Repeat treatment when flies are troublesome.

**FOR SWINE:** Do not ship animals for slaughter within 5 days of last treatment.

**FOR CONTROL OF Bedbugs and Mites IN POULTRY HOUSES,** spray crevices of roost poles, cracks in walls, and cracks in nests where the bedbugs and mites hide. Cover or remove all food/feed and water prior to application.

**Fleas and Ticks (Adults and Larvae):** Remove and thoroughly clean or destroy pet bedding. Spray pet sleeping quarters, bed, entire floor and floor covering, with special attention to cracks and crevices around baseboards, and window and door frames. Infested upholstered furniture may also be treated with this product. Make a test application to upholstery or drapery fabrics in an inconspicuous place before use. Allow all treated surfaces to thoroughly dry before allowing pets or humans to use.

**TO CONTROL Fleas and Ticks ON DOGS.** Starting at the tail, stroke against the lay of the hair, spraying the parted fur in short bursts, directly behind the hand to insure penetrating the coat. Dampen the fur up to the head. Repeat application every two weeks if necessary. Do Not Use On Cats or Kittens.

Outdoor Uses:

Do not use on food crops, or fruit trees.

Do not make application during the rain.

**FOR THE CONTROL OF GARDEN INSECTS:** For use on roses, dahlias, asters and other ornamentals to kill **Japanese Beetles** hit by spray, as well as **Whiteflies, Aphids, Exposed Thrips, Spiders, Red Mites and Leafminers**.

May be used on plants, as well as a multi-purpose spray in small gardens and for spot treatments of incipient insect infestations to prevent spreading in large garden areas.

May also be used on other non-food plants such as African violets, asters, azaleas, begonias, camellias, carnations, chrysanthemums, dahlias, delphiniums, dogwood, English ivy, Euonymus, fuschia, geraniums, crassula, grape vine, Kentia palm, laurel, marigolds, rhododendrons, roses, rubber plants, snapdragons, stocks, wandering Jews and zinnias.

Effective when used as directed against **Whiteflies, Aphids, Spider and Red Mites, Exposed Thrips, Lace Bugs, Japanese Beetles, Pavement Ants, Clover Mites and Armyworms**. When spraying plants, do not operate closer than 18 inches. Use sweeping motion. Spray in one second bursts. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90°F. Over application may cause damage. Contact insects directly whenever possible. Repeat treatment as infestations occur.

#### PESTICIDE STORAGE

Do not contaminate water, food or feed by storage or disposal.

**Storage:** Store in a cool, dry area away from children and pets and away from heat, sparks and open flame. Do not transport or store below 32°F.

#### PESTICIDE DISPOSAL AND CONTAINER HANDLING

**Disposal:** Do Not Puncture or Incinerate! **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

**INGREDIENTS (CAS#):** Water (7732-18-5), Propane-n/Butane (68476-86-8), Isoparaffinic Hydrocarbon (64742-47-8), Permethrin (52645-53-1).

**HMIS RATINGS:** Health - 1, Flammability - 1, Reactivity - 0, Personal - A.

Made In USA