

# Safety Data Sheet

Mr. Green

## SECTION I - IDENTIFICATION

**PRODUCT IDENTIFIER:** Mr. Green  
**PRODUCT CODE:** L104  
**RECOMMENDED USE:** High Performance Extreme Condition Grease  
**RESTRICTIONS ON USE:** None known.  
**COMPANY NAME:** QuestSpecialty Corporation  
**COMPANY ADDRESS:** P.O. Box 624, Brenham, TX 77834  
**COMPANY PHONE:** 800-231-0454  
**EMERGENCY PHONE:** 800-255-3924

## SECTION II – HAZARDS IDENTIFICATION

**CLASSIFICATION:** Does not present a hazard according to OSHA (29CFR 1910.1200)  
**HAZARD STATEMENT(S):** N/A  
This product contains the following percentage of chemicals of unknown toxicity: N/A  
**PRECAUTIONARY STATEMENTS:** N/A  
**SYMBOL:** N/A  
**HAZARDS NOT OTHERWISE CLASSIFIED:** N/A

## SECTION III – COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENT	CAS NUMBER	PERCENT
Does not contain any hazardous ingredients at or above reportable levels as defined by OSHA (29CFR 1910.1200)	N/A	N/A

## SECTION IV - FIRST AID MEASURES

**EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention.  
**INGESTION:** Rinse mouth with water. Do not induce vomiting unless directed by medical authority. Seek medical attention if irritation persists. Never give anything by mouth to an unconscious person.  
**INHALATION:** Move to fresh air. If breathing is difficult or unconscious, administer oxygen. If not breathing administer artificial respiration. Seek medical attention if irritation persists.  
**SKIN:** Wash thoroughly with soap and water for 15 minutes. Remove contaminated clothing and shoes immediately. Seek medical attention if irritation persists.  
**ACUTE HEALTH HAZARDS:** Prolonged contact with skin may cause irritation. Contact with eyes may cause irritation, redness, tearing. Inhalation may cause respiratory tract irritation. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.  
**CHRONIC HEALTH HAZARDS:** None known.  
**NOTE TO PHYSICIAN:** Treatment of overexposure should be directed at the control of symptoms and the clinical condition.

## SECTION V – FIRE-FIGHTING MEASURES

**EXTINGUISHING MEDIA:** Use appropriate media for surrounding fire. Dry chemical, carbon dioxide, dry sand and alcohol-resistant foam.  
**UNSUITABLE EXTINGUISHING MEDIA:** Water jets or streams.  
**SPECIAL FIRE FIGHTING PROCEDURES:** Wear full protective clothing and NIOSH approved SCBA with full facepiece operated in positive pressure or pressure demand. Use water mist to keep material cool in fire situations.  
**UNUSUAL FIRE AND EXPLOSION HAZARDS:** Heating or fire can release toxic gas.  
**HAZARDOUS COMBUSTION PRODUCTS:** Carbon monoxide, carbon dioxide, oxides of sulfur, smoke, soot and various organic oxidation by-products.

## SECTION VI – ACCIDENTAL RELEASE MEASURES

**PERSONAL PROTECTIVE EQUIPMENT:** Refer to section VIII for proper Personal Protective Equipment.

# Safety Data Sheet

Mr. Green

**SPILL:** Clean up using cloth or absorbent material. Dispose of product-containing wiping cloth or absorbent paper in suitable manner. Place waste in proper containers for disposal. U.S. regulations (CERCLA) require reporting spills and releases to soil, water and air in excess of reportable quantities. The toll-free number for the U.S. Coast Guard National Response Center is 800-424-8802.

**WASTE DISPOSAL:** Dispose of in accordance with local, state, and federal regulations. Do not reuse container; recycle or place in trash collection. Drums and pails should be offered for recycling.

**RCRA STATUS:** Not listed as hazardous waste under RCRA, however product should be fully characterized prior to disposal (40 CFR 261).

## SECTION VII – HANDLING AND STORAGE

**HANDLING AND STORAGE:** Wear proper personal protective equipment when using this product. Avoid contact with eyes and skin. Store in a cool, dry area. Do not use or store near heat, open flame, or other sources of ignition. Keep container tightly closed when not in use.

**OTHER PRECAUTIONS:** Keep out of the reach of children. Read and follow the directions on the product label. They are the best guide to using the product in the most effective manner. The label also gives you the necessary safety precautions to protect your health.

**INCOMPATIBILITY:** Strong oxidizing agents.

## SECTION VIII – EXPOSURE CONTROLS/PERSONAL PROTECTION

HAZARDOUS INGREDIENT	OSHA PEL	ACGIH TLV
Does not contain any hazardous ingredients at or above reportable levels as defined by OSHA (29CFR 1910.1200)	N/A	N/A

**ENGINEERING CONTROLS / VENTILATION:** Ambient ventilation adequate.

**RESPIRATORY PROTECTION:** Not required with normal use.

**PERSONAL PROTECTIVE EQUIPMENT:** Safety glasses/goggles.

**ADDITIONAL MEASURES:** Wash hands thoroughly after handling.

## SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

**APPEARANCE:** Green, buttery semi-solid.

**ODOR:** Bland.

**ODOR THRESHOLD:** N/D

**pH:** N/D

**MELTING POINT/FREEZING POINT:** N/D

**INITIAL BOILING POINT AND BOILING RANGE:** N/D

**FLASH POINT:** > 302 °F (150 °F).

**EVAPORATION RATE:** N/D

**FLAMMABILITY(solid/gas):** Not considered a flammable solid by OSHA (29CFR 1910.1200).

**UPPER/LOWER FLAMMABILITY OR EXPLOSIVE LIMITS:**

**LOWER FLAMMABILITY LIMIT:** N/D

**UPPER FLAMMABILITY LIMIT:** N/D

**EXPLOSIVE LIMIT LOWER (%):** N/D

**EXPLOISVE LIMIT UPPER (%):** N/D

**VAPOR PRESSURE (mm Hg):** N/D

**VAPOR DENSITY (AIR=1):** N/D

**RELATIVE DENSITY (H2O=1):** N/D

**SOLUBILITY(IES):** Insoluble.

**PARTITION COEFFICIENT: n-OCTANOL/WATER (Kow):** N/D

**AUTOIGNITION TEMPERATURE:** N/D

**DECOMPOSITION TEMPERATURE:** N/D

**VISCOSITY:** N/D

## SECTION X – STABILITY AND REACTIVITY

**REACTIVITY:** None known.

**CHEMICAL STABILITY:** Stable.

# Safety Data Sheet

Mr. Green

**POSSIBLE HAZARDOUS REACTIONS:** None known.

**CONDITIONS TO AVOID:** Excessive heat.

**INCOMPATIBLE MATERIALS:** Strong oxidizing agents.

**HAZARDOUS DECOMPOSITION PRODUCTS:** None known.

## SECTION XI – TOXICOLOGICAL INFORMATION

**TOXICOLOGICAL INFORMATION:** Calcium dodecylbenzenesulfonate (26264-06-2): LC<sub>50</sub> (Oral, Rat) 4445 mg/kg.

**ROUTES OF ENTRY:** Eyes, Ingestion, Skin

**EYES:** May cause irritation, redness, tearing.

**INGESTION:** May cause gastrointestinal irritation, nausea, diarrhea, vomiting.

**INHALATION:** May cause respiratory tract irritation.

**SKIN:** May cause irritation with prolonged or repeated contact.

**MEDICAL CONDITION AGGRAVATED:** None known.

**ACUTE HEALTH HAZARDS:** Prolonged contact with skin may cause irritation. Contact with eyes may cause irritation, redness, tearing. Inhalation may cause respiratory tract irritation. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

**CHRONIC HEALTH HAZARDS:** None known.

**CARCINOGENICITY:** OSHA: No ACGIH: No NTP: No IARC: No OTHER: CA Prop 65

## SECTION XII – ECOLOGICAL INFORMATION

**ECOTOXICITY:** Calcium dodecylbenzenesulfonate (26264-06-2): LC<sub>50</sub> (*Oncorhynchus mykiss*, 96h, static) 10.8 mg/L.

**PERSISTENCE AND DEGRADABILITY:** Not readily biodegradable.

**BIOACCUMULATIVE POTENTIAL:** No additional information available.

**MOBILITY IN SOIL:** This product is not mobile in soil.

**OTHER ADVERSE EFFECTS:** None known.

## SECTION XIII – DISPOSAL CONSIDERATIONS

**WASTE DISPOSAL:** Dispose of in accordance with local, state, and federal regulations. Do not reuse container; recycle or place in trash collection. Drums and pails should be offered for recycling.

**RCRA STATUS:** Not listed as hazardous waste under RCRA, however product should be fully characterized prior to disposal (40 CFR 261).

## SECTION XIV - TRANSPORT INFORMATION

**PROPER SHIPPING NAME:** Lubricating Oil Petroleum Base, Non-Regulated.

**HAZARD CLASS/DIVISION:** N/A

**UN/NA NUMBER:** N/A

**PACKING GROUP:** N/A

### AIR SHIPMENT

**PROPER SHIPPING NAME:** Lubricating Oil Petroleum Base, Non-Regulated.

**HAZARD CLASS/DIVISION:** N/A

**UN/NA NUMBER:** N/A

**PACKING GROUP:** N/A

### SHIPPING BY WATER:

#### VESSEL (IMO/IMDG)

**PROPER SHIPPING NAME:** Lubricating Oil Petroleum Base, Non-Regulated.

**HAZARD CLASS/DIVISION:** N/A

**UN/NA NUMBER:** N/A

**PACKING GROUP:** N/A

**ENVIRONMENTAL HAZARDS WATER:** N/A

# Safety Data Sheet

Mr. Green

## SECTION XV - REGULATORY INFORMATION

**TSCA STATUS:** All chemicals are listed or exempt.

**CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT):** Calcium dodecylbenzenesulfonate  
(26264-06-2) Reportable Quantity = 1000 pounds

**SARA 311/312 HAZARD CATEGORIES:** None.

**SARA 313 REPORTABLE INGREDIENTS:** This product does not contain any chemicals which are subject to the reporting requirements at Title 40 of the Code of Federal Regulations, Part 372.

**STATE REGULATIONS: California Proposition 65: WARNING:** This product can expose you to chemicals including Naphthalene, which is known to the State of California to cause cancer, and n-Hexane, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov). **Calcium dodecylbenzenesulfonate** (26264-06-2): Included on State Hazardous Substances Inventories, Right-to-Know lists and/or Air Quality or Air Pollutants lists for the following states: MA, PA.

**INTERNATIONAL REGULATIONS:** Listed or exempt from listing/notification on the following chemical inventories: Australian Inventory of Industrial Chemicals (AIIC, Australia); Domestic Substances List (DSL, Canada); Inventory of Existing Chemical Substances in China (IECSC, China); Korean Existing Chemicals Inventory (KECI, Korea); New Zealand Inventory of Chemicals (NZIoC, New Zealand); Philippine Inventory of Chemicals and Chemical Substances (PICCS, Philippines).

**VOLATILE ORGANIC COMPOUNDS (VOC):** 0.14%

**NFPA HEALTH:** 1

**NFPA FLAMMABILITY:** 1

**NFPA REACTIVITY:** 0

**NFPA OTHER:** None

**HMIS HEALTH:** 1

**HMIS FLAMMABILITY:** 1

**HMIS REACTIVITY:** 0

**HMIS PROTECTION:** A

## SECTION XVI - OTHER INFORMATION

**PREPARATION BY:** Roberto Cerón

**DATE PREPARED:** 01/28/2014

**REVISION DATE:** 07/28/2022

N/A = Not Applicable; N/D = Not Determined

**DISCLAIMER:** To the best of our knowledge, information contained herein is accurate. However there is no assumption of liability for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazard which exists. The information contained in this SDS was obtained from current and reliable sources; however, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions or handling, storage and disposal of this product are beyond the control of the manufacturer, the manufacturer will not be responsible for loss, injury, or expense arising out of the products improper use. No warranty, expressed or inferred, regarding the product described in this SDS shall be created or inferred by any statement in this SDS. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product which may not be covered by this SDS. The user is responsible for full compliance.