

Technical Data Report

OFF

CARBURETOR & CHOKE CLEANER



DESCRIPTION

OFF is a USDA authorized product formulated for use on all types of carburetion and PCV systems in automobiles, buses, trucks and industrial equipment. Cleans and frees choke linkages, moving parts on carburetors and PCV valves. Removes grease, carbon deposits, oil, gumming and other materials. Fast drying. Leaves no film. Safe on oxygen sensors and catalytic converters.

APPLICATIONS

For use on automobiles, heat risers, buses, pcv valves and systems, carburetors, motorcycles, earth moving equipment. Cools automatic choke thermostat controls for faster adjustment time. Areas of use include automobile and motorcycle repair shops, bus maintenance facilities, factories and auto dealerships.

FEATURES & BENEFITS

- Improves vehicle efficiency
- Quickly cleans and frees sticking chokes
- Oxygen sensor and catalytic converter safe

SPECIFICATIONS

FORM: Solvent Based Aerosol
 ODOR: Strong Solvent
 COLOR: Clear
 DETERGENCY: None
 TOXICITY: 200 ppm OSHA PEL
 WETTING ABILITY: Saturates
 STORAGE STABILITY: 1 Year +
 COLD STABILITY: 0°F
 PHOSPHATES: None

FLASH POINT: N/A
 FLAME EXTENSION: 24"
 SOLUBILITY IN WATER: 45%
 SPECIFIC GRAVITY: 0.81
 % VOLATILE BY VOLUME: 100%
 pH: N/A
 PROPELLANT: Carbon Dioxide
 EVAPORATION RATE: Fast
 BIODEGRADABILITY: No

LABEL INFORMATION

OFF CARBURETOR & CHOKE CLEANER

OFF carburetor and choke cleaner is the modern quick way to clean and lubricate automatic chokes, PCV valves and systems, heat risers and carburetors. Rapidly cleans carburetors without removing them from the car engine. Frees frozen or inoperative choke and carburetor linkages when frozen due to dirty parts. Cleans out PCV valves and hoses allowing system to operate properly. This product has been thoroughly tested to insure no adverse effects to oxygen sensor equipment.


DIRECTIONS: CARBURETOR: Remove air filter. Liberally spray inside and outside of carburetor. Spray all linkages and manually operate until free moving. CHOKE LINKAGE: Spray both sides of choke butterfly. Manually operate until free moving. PCV SYSTEMS: When installing a new PCV Valve, remove hose from crankcase. While engine is running, spray carburetor cleaner into hose and allow carburetor to draw spray into hose and PCV Valve. If necessary, work valve manually until clean. HEAT RISERS: A quick spray of carburetor cleaner will help free heat risers without leaving any residue.

DANGER: Extremely Flammable Aerosol. Contains gas under pressure; May explode if heated. Causes serious eye irritation. Causes damage to organs. May cause respiratory irritation, drowsiness or dizziness. May be fatal if swallowed and enters airways. Keep away from heat, sparks, open flames, and hot surfaces. –No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Store in a well-ventilated place. Wash hands thoroughly after handling. Wear protective gloves and eye protection. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. If swallowed: Immediately call a poison center or doctor. Do NOT induce vomiting. Do not breathe fumes, vapors, and spray. Do not eat, drink, or smoke when using this product. Use only outdoors or in a well-ventilated area. If inhaled: Remove person to fresh air and keep comfortable for breathing. If exposed: Call a poison center or doctor if you feel unwell. Dispose of contents and container in accordance with local, state, and national regulations.

WARNING: This product can expose you to chemicals including Ethylbenzene, which is known to the State of California to cause cancer and Methanol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

CONTAINS (CAS #): Acetone (67-64-1), Methanol (67-56-1), Xylene (1330-20-7), Petroleum Distillates, hydrotreated light (64742-47-8), Carbon Dioxide (124-38-9).

HEALTH	2
FLAMMABILITY	3
REACTIVITY	1
PERSONAL	B



PACKAGING INFORMATION

12 – 16 oz. cans per case, 13 oz. net weight